



9390 Davis Ave.

Howard County, MD 20723 Phone: (301)776-7448 Fax: (301)776-7677 Toll Free: (866)310-2747 www.ironworldfencing.com



## "A" Heights "B" Post Wall 21/2" Sq. Tube x 0.080" 36 inch 21/2" Sq. Tube x 0.125" 42 inch 3" Sq. Tube x 0.125" 48 inch 4" Sq. Tube x 0.125" 54 inch 60 inch 72 inch 84 inch 96 inch



## NOTES:

- 1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURERS SPEC.
- 2. DO NOT SCALE DRAWINGS.
- 3. SPECIFICATIONS SHOWN CAN BE CHANGED ONLY BY THE MANUFACTURER.
- 4. FOOTING WIDTH: (4) X POST WIDTH FOOTING DEPTH: MIN. 24"/REC. FREEZE LINE.
- $5. \ \ PANELS \ SHOWN \ WITH \ MORTISED \ POST \ SYSTEMS.$
- 6. PANELS ARE RACKABLE WHICH MAY CHANGE FACE-TO-FACE DIMENSION

## MAVERICK ULTRA II INDUSTRIAL

Panel width

6'

Aberdeen

**Tradition Bottom** 

4 Rail

Standard